



NVR
FORGINGS

An ISO 9001:2000 Certified Company



HAMMERS

The top quality NVR hammers are made from selected steel and to the highest product specifications. The striking faces are expertly heat treated, finished and then fixed to softer material in order to act as a form of cushion.

These hammer are always fitted with chemically treated and seasoned wood or steel shafted handles. It is ensured that head of a hammer is securely fixed to the handle. These top quality hammers last longer and gives extra safety.

SAFETY MEASURES


Always

- Always select the correct type and size of the hammer
- Always strike squarely with hammer striking face parallel with surface being struck to avoid glancing blows as well as over and under strikes.
- Always use when striking other tools (chisel, punch, etc) the striking face of hammer should have a diameter approximately 3/8" larger than the struck face of the tool

Never

- Never use a hammer when face shows mushrooming, chipping, cracks or excessive wear.
- Never strike with a side of hammer.
- Never strike one hammer to another or hatchet.
- Never use a hammer with loose or damaged handle.
- Never weld, regrind or reheat treat a hammer

NVR-901 Ball Pein Hammer



Drop Forged Head from Carbon Steel.
Hardened & Tempered.
Fitted with chemically treated & seasoned wooden handle.

LBS	SIZE		QTY./CTN. Pcs.	VOLUME Cu. M.
	GMS.			
1/4	115		120	.042
1/2	225		72	.035
3/4	340		48	.035
1	450		36	.026
1.1/2	675		24	.033
2	900		16	.024
2.1/2	1120		18	.032

NVR-902 Cross Pein Hammer



Drop Forged Head from Carbon Steel.
Hardened & Tempered.
Fitted with chemically treated & seasoned wooden handle.

LBS	SIZE		QTY./CTN. Pcs.	VOLUME Cu. M.
	GMS.			
1/4	115		120	.042
1/2	225		72	.035
3/4	340		48	.035
1	450		36	.026
1.1/2	675		24	.033
2	900		16	.024
2.1/2	1120		18	.032

© NVR Forgings 2010. All rights reserved.

Address: 10 Warayana Industrial Complex, Leather Complex Road, Jalandhar City, State - Punjab, India.

Phone: +91.181.2650958, Fax: +91.181.2650873, Cell: +91.98761.57400

Web: <http://www.nvrforgings.com> | E-mail: info@nvrforgings.com | nvrforgings@vsnl.net



NVR
FORGINGS

An ISO 9001:2000 Certified Company



NVR-903 Claw Hammer with Tubular Handle



Drop Forged Head from Carbon Steel.
Hardened & Tempered. Hardened Tubular Shaft.
Leveled Nail Slot.
Fitted with non-slip shock resistant rubber grip.

SIZE		QTY./CTN. Pcs.	VOLUME Cu. M.
LBS	GMS.		
1/2	225	48	.039
1	450	36	.036

NVR-904 Machinist Hammer



Drop Forged Head from Carbon Steel.
Hardened & Tempered.
Fitted with chemically treated & seasoned wooden handle.

SIZE GMS.	QTY./CTN. Pcs.	VOLUME Cu. M.
100	120	.036
150	120	.036
200	100	.049
250	60	.037
300	60	.037
400	40	.039
500	40	.039
800	24	.037
1000	24	.040
1500	16	.036
2000	12	.030

NVR-905 Club Hammer



Drop Forged Head from Carbon Steel.
Hardened & Tempered.
Fitted with chemically treated & seasoned wooden handle.

SIZE GMS.	QTY./CTN. Pcs.	VOLUME Cu. M.
800	24	.022
1000	24	.023
1250	16	.037
1500	16	.041
2000	12	.020

© NVR Forgings 2010. All rights reserved.

Address: 10 Warayana Industrial Complex, Leather Complex Road, Jalandhar City, State - Punjab, India.

Phone: +91.181.2650958, Fax: +91.181.2650873, Cell: +91.98761.57400

Web: <http://www.nvrforgings.com> | E-mail: info@nvrforgings.com | nvrforgings@vsnl.net



NVR
FORGINGS

An ISO 9001:2000 Certified Company



NVR-906 Sledge Hammer



With or Without Wooden Handle.
Drop Forged Head from Carbon Steel.
Hardened & Tempered.
Fitted with chemically treated & seasoned wooden handle.

SIZE LBS.	QTY./CTN. Pcs.	VOLUME Cu. M.
2	32	.005
3	24	.012
4	24	.015
5	12	.010
6	12	.012
8	8	.014
10	8	.013
12	6	.011
14	6	.020
16	6	.017

NVR-907 Denting Hammer with Tubular Handle



Removable Plastic Handle.
Hardened & Tempered.
Fitted with non-slip shock resistant rubber grip.

SIZE HEAD MM	QTY./CTN. Pcs.	VOLUME Cu. M.
20	72	.039
25	60	.041
30	40	.039
40	24	.037
50	12	.027

© NVR Forgings 2010. All rights reserved.

Address: 10 Warayana Industrial Complex, Leather Complex Road, Jalandhar City, State - Punjab, India.
Phone: +91.181.2650958, Fax: +91.181.2650873, Cell: +91.98761.57400
Web: <http://www.nvrforgings.com> | E-mail: info@nvrforgings.com | nvrforgings@vsnl.net